antibodies - online.com







anti-DNASE1L2 antibody (AA 28-232)



Images



\sim	
()\/△	rview
\cup	1 410 44

Quantity:	100 μL
Target:	DNASE1L2
Binding Specificity:	AA 28-232
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	DNASE1L2 (Asn28-Val232)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against DNASE1L2. It has been selected for its ability to recognize DNASE1L2 in immunohistochemical staining and western blotting.
Characteristics:	The antibody is a rabbit polyclonal antibody raised against DNASE1L2. It has been selected for its ability to recognize DNASE1L2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details


Target:	DNASE1L2
Abstract:	DNASE1L2 Products

Expiry Date:

Target Details	
Background:	Alternative Names: DNAS1L2, DHP1, DNase I Homolog Protein DHP1, DNase I-like 2
Application Details	
Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	4 °C/-20 °C/-80 °C
Storage Comment:	Store at 4 °C for frequent use. Stored at -20 °C to -80 °C in a manual defrost freezer for one year


without detectable loss of activity.

12 months




Western Blotting

Image 1.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded Heart tissue



Immunohistochemistry

Image 3. DAB staining on IHC-P; Samples: Mouse Liver Tissue