



[Go to Product page](#)

Datasheet for ABIN2119160  
**anti-Fibrillin 3 antibody (AA 403-667)**

3 Images

### Overview

Quantity:	100 µL
Target:	Fibrillin 3 (FBN3)
Binding Specificity:	AA 403-667
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunocytochemistry (ICC)

### Product Details

Immunogen:	FBN3 (Ala403-Gln667)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against FBN3. It has been selected for its ability to recognize FBN3 in immunohistochemical staining and western blotting.
Characteristics:	The antibody is a rabbit polyclonal antibody raised against FBN3. It has been selected for its ability to recognize FBN3 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

### Target Details

Target:	Fibrillin 3 (FBN3)
Abstract:	<a href="#">FBN3 Products</a>

## Application Details

---

Application Notes: • Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

---

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

---

Restrictions: For Research Use only

---

## Handling

---

Format: Liquid

---

Concentration: Lot specific

---

Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

---

Preservative: Sodium azide

---

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

---

Handling Advice: Avoid repeated freeze-thaw cycles.

---

Storage: 4 °C/-20 °C/-80 °C


---

Storage Comment: Store at 4 °C for frequent use. Stored at -20 °C to -80 °C in a manual defrost freezer for one year without detectable loss of activity.

---


Expiry Date: 12 months

---




### Western Blotting

**Image 1.**



### Immunohistochemistry

**Image 2.** Used in DAB staining on formalin fixed paraffin-embedded stomach tissue



### Immunohistochemistry

**Image 3.** DAB staining on IHC-P; Samples: Human Stomach Tissue