

Datasheet for ABIN2119278 anti-AMH antibody (AA 447-553)

1 Image



Overview

Quantity:	100 μL
Target:	АМН
Binding Specificity:	AA 447-553
Reactivity:	Rat
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This AMH antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Anti-Mullerian Hormone (AMH)
Immunogen:	AMH (AA 447-553)
Sequence:	MGHHHHHHSG S- KGTG TDGLCALREL SVDLRAERSV LIPETYQANN CQGACAWPQS DRNPRYGNHV VLLLKMQARG AALGRLPCCV PTAYTGKLLI SLSEEHISAH HVPNMVATEC GCR
Isotype:	IgG
Specificity:	The antibody is a mouse monoclonal antibody raised against AMH. It has been selected for its ability to recognize AMH in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

Target:	AMH
Alternative Name:	Anti-Mullerian Hormone (AMH Products)
Background:	MIF, MIH, MIS, Müllerian Inhibiting Factor, Müllerian Inhibiting Hormone, Müllerian Inhibiting Substance
Pathways:	Negative Regulation of Hormone Secretion
Application Details	
Application Notes:	Western blotting: 0.2-2 μg/mL,1:500-5000 Immunohistochemistry: 5-20 μg/mL,1:50-200 Immunocytochemistry: 5-20 μg/mL,1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, pH 7.4, containing 0.01 % SKL, 1 mM DTT, 5 % Trehalose and Proclin300.
Preservative:	Dithiothreitol (DTT), ProClin
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.
Handling Advice:	Avoid repeated freeze/thaw cycles
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

Expiry Date:

12 months

Images



Western Blotting

Image 1.