# antibodies - online.com







## anti-GPR61 antibody (C-Term)

**Images** 



#### Overview

| Quantity:            | 50 μg  |
|----------------------|--|
| Target:              | GPR61  |
| Binding Specificity: | C-Term   |
| Reactivity:          | Human, Monkey  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This GPR61 antibody is un-conjugated   |
| Application:         | Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), ELISA, Immunohistochemistry (IHC) |

## **Product Details**

| Brand:                | IHC-plus™   |
|-----------------------|---|
| Immunogen:            | Synthetic 19 amino acid peptide from C-terminus of human GPR61. Percent identity with other species by BLAST analysis: Human, Monkey, Marmoset, Elephant, Panda (100%), Gorilla, Gibbon, Mouse, Rat, Bat, Bovine, Hamster, Horse, Pig, Opossum (95%). |
|                       | Type of Immunogen: Synthetic peptide  |
| Specificity:          | Human GPR61. BLAST analysis of the peptide immunogen showed no homology with other human proteins.  |
| Predicted Reactivity: | Percent identity with other species by BLAST analysis: Human, Monkey, Marmoset, Elephant, Panda (100%) Gorilla, Gibbon, Mouse, Rat, Bat, Bovine, Hamster, Horse, Pig, Opossum (95%).  |

# **Product Details** Purification: Immunoaffinity purified Target Details Target: GPR61 Alternative Name GPR61 (GPR61 Products) Background: Name/Gene ID: GPR61 Subfamily: Orphan-A Family: GPCR Synonyms: GPR61, BALGR, GPCR3, G protein-coupled receptor 61 Gene ID: 83873 **Application Details** Approved: ELISA, IHC, IHC-P (10 µg/mL) Application Notes: Usage: Immunohistochemistry: This antibody was validated for use in immunohistochemistry on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin and chromogen. The stained slides were evaluated by a pathologist to confirm staining specificity. The optimal working concentration for this antibody was determined to be 10 $\mu$ g/mL. Comment: Target Species of Antibody: Human Restrictions: For Research Use only Handling Format: Liquid Concentration: Lot specific Buffer: PBS, less than 0.1 % sodium azide. Preservative: Sodium azide


This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

Precaution of Use:

## Handling


|                  | should be handled by trained staff only.  |
|------------------|---|
| Storage:         | 4 °C,-20 °C   |
| Storage Comment: | Aliquot and store undiluted at -20°C or below for up to 1 year. Can be stored undiluted at 4°C for up to 1 month. Avoid freeze-thaw cycles. |
| Expiry Date:     | 12 months   |

## **Images**



## **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 1.** Human Brain, Cortex (formalin-fixed, paraffinembedded) stained with GPR61 antibody ABIN213359 at 10 ug/ml followed by biotinylated goat anti-rabbit IgG secondary antibody ABIN481713, alkaline phosphatase-streptavidin and chromogen.



#### **Immunohistochemistry**

**Image 2.** Anti-GPR61 antibody IHC of human brain, cortex. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval.