antibodies -online.com





anti-BRS3 antibody (N-Term)

2 Images



Overview

Quantity:	50 μg
Target:	BRS3
Binding Specificity:	N-Term
Reactivity:	Human, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BRS3 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details


Brand:	IHC-plus™
Immunogen:	Synthetic 19 amino acid peptide from N-terminal extracellular domain of human BRS3. Percent identity with other species by BLAST analysis: Human, Gorilla, Gibbon, Monkey (100%), Rat, Rabbit (95%), Marmoset, Mouse, Sheep, Bovine, Bat, Horse, Guinea pig (89%), Dog, Panda (84%).
	Type of Immunogen: Synthetic peptide
Specificity:	Human BRS3. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Predicted Reactivity:	Percent identity with other species by BLAST analysis: Human, Gorilla, Gibbon, Monkey (100%)

Product Details	
	Rat, Rabbit (95%) Marmoset, Mouse, Sheep, Bovine, Bat, Horse, Guinea pig (89%) Dog, Panda (84%).
Purification:	Immunoaffinity purified
Target Details	
Target:	BRS3
Alternative Name:	BRS3 / BRS-3 (BRS3 Products)
Background:	Name/Gene ID: BRS3
	Subfamily: Orphan-A
	Family: GPCR
	Synonyms: BRS3, BB3 receptor, Bombesin-like receptor 3, Bombesin receptor subtype 3,
	Bombesin receptor subtype-3, BRS-3, BLP receptor subtype 3, Bombesin receptor 3
Gene ID:	680
Pathways:	Feeding Behaviour
Application Details	
Application Notes:	Approved: ELISA, IHC, IHC-P (10 μg/mL)
	Usage: Immunohistochemistry: This antibody was validated for use in immunohistochemistry
	on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced
	antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were
	incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin
	and chromogen. The stained slides were evaluated by a pathologist to confirm staining
	specificity. The optimal working concentration for this antibody was determined to be 10 $\boldsymbol{\mu}$
	g/mL.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific

Handling


Buffer:	PBS, less than 0.1 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Aliquot and store undiluted at -20°C or below for up to 1 year. Can be stored undiluted at 4°C for up to 1 month. Avoid freeze-thaw cycles.
Expiry Date:	12 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Human Brain, Thalamus (formalin-fixed, paraffinembedded) stained with BRS3 antibody ABIN213381 at 10 ug/ml followed by biotinylated goat anti-rabbit IgG secondary antibody ABIN481713, alkaline phosphatase-streptavidin and chromogen.



Immunohistochemistry

Image 2. Anti-BRS3 antibody IHC of human brain, thalamus. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval.