antibodies - online.com







anti-GPR18 antibody (Cytoplasmic Domain)

Images



Overview

Quantity:	50 μg
Target:	GPR18
Binding Specificity:	Cytoplasmic Domain
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GPR18 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Immunogen:	Synthetic 18 amino acid peptide from 3rd cytoplasmic domain of human GPR18. Percent identity with other species by BLAST analysis: Human, Gorilla, Gibbon, Monkey (100%),
	Marmoset, Bat, Elephant, Horse (94%), Bovine, Rabbit, Pig (89%), Mouse, Rat, Pufferfish (83%).
	Type of Immunogen: Synthetic peptide
Specificity:	Human GPR18. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Predicted Reactivity:	Percent identity with other species by BLAST analysis: Human, Gorilla, Gibbon, Monkey (100%) Marmoset, Bat, Elephant, Horse (94%) Bovine, Rabbit, Pig (89%) Mouse, Rat, Pufferfish (83%).

Product Details Purification: Immunoaffinity purified Target Details GPR18 Target: Alternative Name GPCRW / GPR18 (GPR18 Products) Background: Name/Gene ID: GPR18 Subfamily: Orphan-A Family: GPCR Synonyms: GPR18, GPCRW, G protein-coupled receptor 18, NAGly receptor, G-protein coupled receptor 18, N-arachidonyl glycine receptor Gene ID: 2841 **Application Details** Approved: ELISA, IHC, IHC-P (5 µg/mL) Application Notes: Usage: Immunohistochemistry: This antibody was validated for use in immunohistochemistry on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin and chromogen. The stained slides were evaluated by a pathologist to confirm staining specificity. The optimal working concentration for this antibody was determined to be 5 µg/mL. Comment: Target Species of Antibody: Human Restrictions: For Research Use only Handling Format: Liquid Concentration: Lot specific Buffer: PBS, less than 0.1 % sodium azide. Preservative: Sodium azide


This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

Precaution of Use:

Handling


	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Aliquot and store undiluted at -20°C or below for up to 1 year. Can be stored undiluted at 4°C for up to 1 month. Avoid freeze-thaw cycles.
Expiry Date:	12 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Human Testis (formalin-fixed, paraffin-embedded) stained with GPR18 antibody ABIN213453 at 5 ug/ml followed by biotinylated goat anti-rabbit IgG secondary antibody ABIN481713, alkaline phosphatase-streptavidin and chromogen.



Immunohistochemistry

Image 2. Anti-GPR18 antibody IHC of human testis. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval.