antibodies -online.com







anti-Serotonin Receptor 5A antibody (Cytoplasmic Domain)





_					
U	V	er	VI	е	W

Quantity:	50 μg
Target:	Serotonin Receptor 5A (HTR5A)
Binding Specificity:	Cytoplasmic Domain
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Serotonin Receptor 5A antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Immunogen:	Synthetic 14 amino acid peptide from 3rd cytoplasmic domain of human 5HT5A Receptor. Percent identity with other species by BLAST analysis: Human, Gorilla, Gibbon (100%), Monkey (93%), Elephant (86%).
	Type of Immunogen: Synthetic peptide
Specificity:	Human 5HT5A Receptor. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Predicted Reactivity:	Percent identity with other species by BLAST analysis: Human, Gorilla, Gibbon (100%) Monkey (93%) Elephant (86%).

Product Details	
Purification:	Immunoaffinity purified
Target Details	
Target:	Serotonin Receptor 5A (HTR5A)
Alternative Name:	HTR5A / 5-HT5A Receptor (HTR5A Products)
Background:	Name/Gene ID: HTR5A
	Subfamily: Serotonin
	Family: GPCR
	Synonyms: HTR5A, 5-HT-5, 5-HT-5A, 5-HT5A, 5-HT5a receptor, 5-hydroxytryptamine5a,
	Serotonin 5-HT5a receptor, Serotonin 5a receptor, Serotonin receptor 5A
Gene ID:	3361
Pathways:	JAK-STAT Signaling
Application Details	
Application Notes:	Approved: ELISA, IHC, IHC-P (10 μg/mL)
	Usage: Immunohistochemistry: This antibody was validated for use in immunohistochemistry
	on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced
	antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were
	incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin
	and chromogen. The stained slides were evaluated by a pathologist to confirm staining
	specificity. The optimal working concentration for this antibody was determined to be 10 μ
	g/mL.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific


PBS, less than 0.1 % sodium azide.

Buffer:

Handling


Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Aliquot and store undiluted at -20°C or below for up to 1 year. Can be stored undiluted at 4°C for up to 1 month. Avoid freeze-thaw cycles.
Expiry Date:	12 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Human Brain, Cerebellum (formalin-fixed, paraffinembedded) stained with HTR5A antibody ABIN213518 at 10 ug/ml followed by biotinylated goat anti-rabbit IgG secondary antibody ABIN481713, alkaline phosphatase-streptavidin and chromogen.



Immunohistochemistry

Image 2. Anti-5HT5A Receptor antibody IHC of human brain, cerebellum. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.