

Datasheet for ABIN213875  
**anti-SARM1 antibody (C-Term)**[Go to Product page](#)

## 2 Images

## Overview

Quantity:	0.05 mg
Target:	SARM1
Binding Specificity:	C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SARM1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (IF), Immunocytochemistry (ICC), Immunohistochemistry (IHC)

## Product Details

Brand:	IHC-plus™
Isotype:	IgG
Purification:	Ion exchange chromatography

## Target Details

Target:	SARM1
Alternative Name:	SARM1 / SARM ( <a href="#">SARM1 Products</a> )
Background:	Name/Gene ID: SARM1
Synonyms: SARM1, Tir-1 homolog, SARM, KIAA0524, SAMD2	

## Target Details


Gene ID:	23098
UniProt:	<a href="#">Q6SZW1</a>
Pathways:	<a href="#">TLR Signaling</a> , <a href="#">Activation of Innate immune Response</a> , <a href="#">Toll-Like Receptors Cascades</a>

## Application Details

Application Notes:	Approved: ICC (2 µg/mL), IF (2 µg/mL), IHC, IHC-P (10 µg/mL), WB (0.5 - 2 µg/mL)  Usage: Immunohistochemistry: This antibody was validated for use in immunohistochemistry on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin and chromogen. The stained slides were evaluated by a pathologist to confirm staining specificity. The optimal working concentration for this antibody was determined to be 2 µg/mL.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	avoid freeze thaw cycles. Store undiluted.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for 3 months and -20°C, stable for up to 1 year. Avoid repeated freeze-thaw cycles.
Expiry Date:	12 months



#### Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** Human Tonsil (formalin-fixed, paraffin-embedded) stained with SARM1 antibody ABIN213875 at 2 ug/ml followed by biotinylated goat anti-rabbit IgG secondary antibody ABIN481713, alkaline phosphatase-streptavidin and chromogen.



#### Immunohistochemistry

**Image 2.** Anti-SARM1 / SARM antibody IHC of human tonsil. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 2 ug/ml.