antibodies - online.com







anti-CUL9 antibody (C-Term)

Images



Overview

Quantity:	0.05 mg
Target:	CUL9
Binding Specificity:	C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CUL9 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Draduat Dataila

Product Details	
Brand:	IHC-plus™
Isotype:	IgG
Purification:	Immunoaffinity purified
Target Details	

Target:	CUL9
Alternative Name:	CUL9 / Cullin 9 (CUL9 Products)
Background:	Name/Gene ID: CUL9
	Synonyms: CUL9, Cullin 9, Cullin-9, CUL-9, H7AP1, RP3-330M21.2, KIAA0708, PARC, UbcH7-

Target Details

	associated protein 1
Gene ID:	23113
UniProt:	Q8IWT3

Application Details


Application Notes:	Approved: ICC, IHC, IHC-P (5 μg/mL), WB (1 - 2 μg/mL)
	Usage: Immunohistochemistry: This antibody was validated for use in immunohistochemistry
	on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced
	antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin
	and chromogen. The stained slides were evaluated by a pathologist to confirm staining
	specificity. The optimal working concentration for this antibody was determined to be 5 μ g/mL.
Comment:	Target Species of Antibody: Human

For Research Use only

Handling


Restrictions:

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	avoid freeze thaw cycles. Store undiluted.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for 3 months and -20°C, stable for up to 1 year. Avoid repeated freeze-thaw cycles.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Human Testis (formalin-fixed, paraffin-embedded) stained with CUL9 antibody ABIN213963 at 5 ug/ml followed by biotinylated goat anti-rabbit IgG secondary antibody ABIN481713, alkaline phosphatase-streptavidin and chromogen.



Immunohistochemistry

Image 2. Anti-CUL9 / Cullin 9 antibody IHC of human testis. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml.