antibodies -online.com





anti-DcR1 antibody (AA 51-150)





Go to Product page

Overview

Quantity:	100 μL
Target:	DcR1 (TNFRSF10C)
Binding Specificity:	AA 51-150
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DcR1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human TNFRSF10C/DCR1
Isotype:	lgG
Cross-Reactivity:	Human
Purification:	Purified by Protein A.

Target Details

Target:	DcR1 (TNFRSF10C)
Alternative Name:	Der1 (TNFRSF10C Products)


Target Details

Background:	Synonyms: LIT, DCR1, TRID, CD263, TRAILR3, TRAIL-R3, DCR1-TNFR, Tumor necrosis factor
	receptor superfamily member 10C, Antagonist decoy receptor for TRAIL/Apo-2L, Decoy TRAIL
	receptor without death domain, Decoy receptor 1, Lymphocyte inhibitor of TRAIL, TNF-related
	apoptosis-inducing ligand receptor 3, TRAIL receptor 3, TRAIL receptor without an intracellular
	domain, TNFRSF10C, UNQ321/PR0366
	Background: Receptor for the cytotoxic ligand TRAIL. Lacks a cytoplasmic death domain and
	hence is not capable of inducing apoptosis. May protect cells against TRAIL mediated
	apoptosis by competing with TRAIL-R1 and R2 for binding to the ligand.
Gene ID:	8794
UniProt:	014798
Pathways:	Apoptosis
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Expiry Date:

12 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Formalin-fixed and paraffin embedded mouse lung labeled with Rabbit Anti DcR1 Polyclonal Antibody, Unconjugated at 1:200 followed by conjugation to the secondary antibody and DAB staining