# antibodies .- online.com





## anti-DcR1 antibody (AA 51-150) (Biotin)



#### Overview

Quantity:	100 μL
Target:	DcR1 (TNFRSF10C)
Binding Specificity:	AA 51-150
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DcR1 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human TNFRSF10C/DCR1
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified by Protein A.

#### **Target Details**

Target:	DcR1 (TNFRSF10C)
Alternative Name:	Dcr1 (TNFRSF10C Products)
Background:	Synonyms: LIT, DCR1, TRID, CD263, TRAILR3, TRAIL-R3, DCR1-TNFR, Tumor necrosis factor

receptor superfamily member 10C, Antagonist decoy receptor for TRAIL/Apo-2L, Decoy TRAIL
receptor without death domain, Decoy receptor 1, Lymphocyte inhibitor of TRAIL, TNF-related
apoptosis-inducing ligand receptor 3, TRAIL receptor 3, TRAIL receptor without an intracellular
domain, TNFRSF10C, UNQ321/PRO366

Background: Receptor for the cytotoxic ligand TRAIL. Lacks a cytoplasmic death domain and hence is not capable of inducing apoptosis. May protect cells against TRAIL mediated apoptosis by competing with TRAIL-R1 and R2 for binding to the ligand.

Gene ID:	8794
UniProt:	014798

**Apoptosis** 

### **Application Details**

Pathways:

Restrictions:	For Research Use only
	IHC-F 1:100-500
	IHC-P 1:200-400
Application Notes:	WB 1:300-5000

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months