# antibodies .- online.com





Datasheet for ABIN2173877

# anti-ERCC6 antibody (AA 201-300) (Alexa Fluor 488)



( )	ve	K\ /		A .
	$\cup$	1 V/	-	V۷

Quantity:	100 μL
Target:	ERCC6
Binding Specificity:	AA 201-300
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ERCC6 antibody is conjugated to Alexa Fluor 488
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human ERCC6
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human, Mouse
Purification:	Purified by Protein A.

## **Target Details**

Target:	ERCC6
Alternative Name:	ERCC6 (ERCC6 Products)

## **Target Details**

Synonyms: CSB, CKN2, COFS, ARMD5, COFS1, RAD26, UVSS1, DNA excision repair protein	
ERCC-6, ATP-dependent helicase ERCC6, Cockayne syndrome protein CSB, ERCC6	
Background: Essential factor involved in transcription-coupled nucleotide excision repair which	
allows RNA polymerase II-blocking lesions to be rapidly removed from the transcribed strand of	
active genes. Upon DNA-binding, it locally modifies DNA conformation by wrapping the DNA	
around itself, thereby modifying the interface between stalled RNA polymerase II and DNA. It is	
required for transcription-coupled repair complex formation. It recruits the CSA complex	
(DCX(ERCC8) complex), nucleotide excision repair proteins and EP300 to the at sites of RNA	
polymerase II-blocking lesions.	
2074	
Q03468	
DNA Damage Repair, Chromatin Binding	
IF(IHC-P) 1:50-200	
IF(IHC-F) 1:50-200	
IF(ICC) 1:50-200	
For Research Use only	
Liquid	
1 μg/μL	
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
50 % Glycerol.	
ProClin	
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
handled by trained staff only.	
-20 °C	
Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
12 months	