# antibodies -online.com





# anti-Cytochrome C, Somatic Pseudogene 51 (CYCSP51) (AA 341-459) antibody (Biotin)



Go to Product page

( )	1 /	0	rv	/ 1 /	71	Α.
	1//	-	1 \/	16		1/1/
$\sim$	v	$\sim$	1 V	١,	_	v v

Quantity:	100 μL	
Target:	Cytochrome C, Somatic Pseudogene 51 (CYCSP51)	
Binding Specificity:	AA 341-459	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	Biotin	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human HCP1	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat,Cow,Chicken	
Purification:	Purified by Protein A.	

## **Target Details**

Target:	Cytochrome C, Somatic Pseudogene 51 (CYCSP51)
Alternative Name:	HCP1 (CYCSP51 Products)

## **Target Details**

Background:	Synonyms: G21, HCP1, PCFT, Proton-coupled folate transporter, Heme carrier protein 1,	
	PCFT/HCP1, Solute carrier family 46 member 1, SLC46A1	
	Background: Has been shown to act both as an intestinal proton-coupled high-affinity folate	
	transporter and as an intestinal heme transporter which mediates heme uptake from the gut	
	lumen into duodenal epithelial cells. The iron is then released from heme and may be	
	transported into the bloodstream. Dietary heme iron is an important nutritional source of iron.	
	Shows a higher affinity for folate than heme.	
Gene ID:	113235	
UniProt:	Q96NT5	
Pathways:	cAMP Metabolic Process, Dicarboxylic Acid Transport	
Application Details		
Application Notes:	WB 1:300-5000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C for 12 months.	
Expiry Date:	12 months	