



[Go to Product page](#)

Datasheet for ABIN2175619

## anti-HERV-FRD Provirus Ancestral Env Polyprotein (Herv-frd) (AA 331-430) antibody (Alexa Fluor 647)

### Overview

Quantity:	100 µL
Target:	HERV-FRD Provirus Ancestral Env Polyprotein (Herv-frd)
Binding Specificity:	AA 331-430
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Alexa Fluor 647
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Syncytin-2
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified by Protein A.

### Target Details

Target:	HERV-FRD Provirus Ancestral Env Polyprotein (Herv-frd)
Alternative Name:	Herv-Frd ( <a href="#">Herv-frd Products</a> )
Target Type:	Viral Protein

## Target Details

---

**Background:** Synonyms: envFRD, UNQ6191, ERVFRDE1, GLLL6191, HERV-FRD, HERV-W/FRD, Syncytin-2, Endogenous retrovirus group FRD member 1, Envelope polyprotein, HERV-FRD\_6p24.1 provirus ancestral Env polyprotein, ERVFRD-1, UNQ6191/PRO20218

Background: This endogenous retroviral envelope protein has retained its original fusogenic properties and participates in trophoblast fusion and the formation of a syncytium during placenta morphogenesis. The interaction with MFSD2A is apparently important for this process (PubMed:18988732). Endogenous envelope proteins may have kept, lost or modified their original function during evolution but this one can still make pseudotypes with MLV, HIV-1 or SIV-1 virions and confer infectivity. Retroviral envelope proteins mediate receptor recognition and membrane fusion during early infection. The surface protein mediates receptor recognition, while the transmembrane protein anchors the envelope heterodimer to the viral membrane through one transmembrane domain. The other hydrophobic domain, called fusion peptide, mediates fusion of the viral membrane with the target cell membrane (PubMed:14694139).

---

**Gene ID:** 405754

---

**UniProt:** [P60508](#)

## Application Details

---

**Application Notes:** IF(IHC-P) 1:50-200  
IF(IHC-F) 1:50-200  
IF(ICC) 1:50-200

---

**Restrictions:** For Research Use only

## Handling

---

**Format:** Liquid

---

**Concentration:** 1 µg/µL

---

**Buffer:** Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

---

**Preservative:** ProClin

---

**Precaution of Use:** This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

---

**Storage:** -20 °C

---

**Storage Comment:** Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

---

## Handling

---

Expiry Date: 12 months