antibodies -online.com





anti-ERI1 antibody (AA 51-150) (Alexa Fluor 555)



Go to Product page

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	ERI1
Binding Specificity:	AA 51-150
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ERI1 antibody is conjugated to Alexa Fluor 555
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human HEXO
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	ERI1
Alternative Name:	Hexo (ERI1 Products)

Target Details

Background:	Synonyms: HEXO, THEX1, 3'HEXO, 3'-5' exoribonuclease 1, 3'-5' exonuclease ERI1, Eri-1	
	homolog, Histone mRNA 3'-end-specific exoribonuclease, Histone mRNA 3'-exonuclease 1,	
	Protein 3'hExo, ERI1, 3'EXO	
	Background: RNA exonuclease that binds to the 3'-end of histone mRNAs and degrades them,	
	suggesting that it plays an essential role in histone mRNA decay after replication. A 2' and 3'-	
	hydroxyl groups at the last nucleotide of the histone 3'-end is required for efficient degradation	
	of RNA substrates. Also able to degrade the 3'-overhangs of short interfering RNAs (siRNAs) in	
	vitro, suggesting a possible role as regulator of RNA interference (RNAi). Requires for binding	
	the 5'-ACCCA-3' sequence present in stem-loop structure. Able to bind other mRNAs. Required	
	for 5.8S rRNA 3'-end processing. Also binds to 5.8s ribosomal RNA. Binds with high affinity to	
	the stem-loop structure of replication-dependent histone pre-mRNAs.	
Gene ID:	90459	
UniProt:	Q8IV48	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	