# antibodies -online.com





# anti-ERI1 antibody (AA 51-150) (Alexa Fluor 647)



Go to Product page

$\sim$		
Ove	r\/I	$\triangle \backslash \backslash \backslash$
$\circ$	1 / 1	CVV

Quantity:	100 μL
Target:	ERI1
Binding Specificity:	AA 51-150
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ERI1 antibody is conjugated to Alexa Fluor 647
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human HEXO
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Chicken,Rabbit
Purification:	Purified by Protein A.

## **Target Details**

Target:	ERI1
Alternative Name:	Hexo (ERI1 Products)

## **Target Details**

Background:	Synonyms: HEXO, THEX1, 3'HEXO, 3'-5' exoribonuclease 1, 3'-5' exonuclease ERI1, Eri-1
	homolog, Histone mRNA 3'-end-specific exoribonuclease, Histone mRNA 3'-exonuclease 1,
	Protein 3'hExo, ERI1, 3'EXO
	Background: RNA exonuclease that binds to the 3'-end of histone mRNAs and degrades them,
	suggesting that it plays an essential role in histone mRNA decay after replication. A 2' and 3'-
	hydroxyl groups at the last nucleotide of the histone 3'-end is required for efficient degradation
	of RNA substrates. Also able to degrade the 3'-overhangs of short interfering RNAs (siRNAs) in
	vitro, suggesting a possible role as regulator of RNA interference (RNAi). Requires for binding
	the 5'-ACCCA-3' sequence present in stem-loop structure. Able to bind other mRNAs. Required
	for 5.8S rRNA 3'-end processing. Also binds to 5.8s ribosomal RNA. Binds with high affinity to
	the stem-loop structure of replication-dependent histone pre-mRNAs.
Gene ID:	90459
UniProt:	Q8IV48
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months