antibodies.com

# Datasheet for ABIN2176490 Rabbit anti-Goat IgG Antibody (Cy7)



Overview

Quantity:	200 µL
Target:	lgG
Reactivity:	Goat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Cy7
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## Product Details

lsotype:	lgG
Purification:	Purified by Protein A.

## Target Details

Target:	lgG
Abstract:	IgG Products
Target Type:	Antibody
Background:	Immunoglobulin G (IgG), is one of the most abundant proteins in serum with normal levels
	between 8-17 mg/mL in adult blood. IgG is important for our defence against microorganisms
	and the molecules are produced by B lymphocytes as a part of our adaptive immune response.
	The IgG molecule has two separate functions, to bind to the pathogen that elicited the response

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN2176490 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

## Target Details

and to recruit other cells and molecules to destroy the antigen. The variability of the IgG pool is generated by somatic recombination and the number of specificities in an individual at a given time point is estimated to be 1011 variants.

## **Application Details**

Application Notes:	IF(IHC-P): (1:500-2000), IF(IHC-F): (1:500-2000), IF(ICC): (1:500-1000) Optimal working dilution should be determined by the investigator.
Comment:	Exitation/Emission: 743nm/767nm
Restrictions:	For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 100 $\mu$ g/mL BSA, 50 % glycerol and 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at 4 °C for 12 months.