# antibodies - online.com







# anti-IL-34 antibody (AA 21-100)



Image



#### Overview

Quantity:	100 μL
Target:	IL-34 (IL34)
Binding Specificity:	AA 21-100
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL-34 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunocytochemistry (ICC), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human IL34
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

## **Target Details**

rarget. 1L-34 (1L34)	Target:	IL-34 (IL34)		
----------------------	---------	--------------	--	--


# **Target Details**

Alternative Name:	IL34 (IL34 Products)	
Background:	Synonyms: Al593503, 2010004A03Rik, Interleukin-34, IL-34, II34	
	Background: Cytokine that promotes the proliferation, survival and differentiation of monocytes	
	and macrophages. Promotes the release of proinflammatory chemokines, and thereby plays ar	
	important role in innate immunity and in inflammatory processes. Plays an important role in the	
	regulation of osteoclast proliferation and differentiation, and in the regulation of bone	
	resorption. Signaling via CSF1R and its downstream effectors stimulates phosphorylation of	
	MAPK1/ERK2 AND MAPK3/ERK1 (By similarity).	
Gene ID:	76527	
UniProt:	Q8R1R4	
Pathways:	RTK Signaling	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	

# Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date	12 months

### **Images**



### **Western Blotting**

**Image 1.** Mouse skin lysates probed with Rabbit Anti-IL34 Polyclonal Antibody, Unconjugated (ABIN2176999) at 1:300 overnight at 4 °C. Followed by conjugation to secondary antibody at 1:5000 for 90 min at 37 °C.