
# antibodies .- online.com







## anti-CDHR2 antibody (AA 151-250)



Go to Product page

( )	1 /	0	rv	/ 1 /	71	Α.
	1//	$\vdash$	1 \/	16		1/1/
$\sim$	v	$\sim$	1 V	١,	_	v v

Quantity:	100 μL
Target:	CDHR2
Binding Specificity:	AA 151-250
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CDHR2 antibody is un-conjugated
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human PCLKC	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Pig	
Purification:	Purified by Protein A.	

### Target Details

Target:	CDHR2
Alternative Name:	PCLKC (CDHR2 Products)

#### **Target Details**

Background:

Synonyms: FLJ20124, FLJ20383, MGC163154, PC LKC, PC-LKC, Protocadherin LKC. Background: PCLKC (Protocadherin LKC) belongs to the protocadherin gene family, a subgroup of the cadherin superfamily. It is predominantly expressed in liver, kidney and colon tissues, and has a role in contact inhibition at the lateral surface of epithelial cells. It is a candidate tumor suppressor.

#### **Application Details**

Application Notes:	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500

For Research Use only

## Handling

Restrictions:

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months