# antibodies -online.com





# anti-Prostaglandin F2alpha antibody (Cy3)



Go to Product page

( )	11/0	K\ /	iew	1
	$\cup$	ועוי	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	Prostaglandin F2alpha
Reactivity:	Others
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Prostaglandin F2alpha antibody is conjugated to Cy3
Application:	Immunofluorescence (Paraffin-embedded Sections) (IF (p))

### **Product Details**

Immunogen:	KLH conjugated to PGF2 Alpha
Isotype:	IgG
Cross-Reactivity:	Rat
Cross-Reactivity (Details):	PGF2 Alpha
Purification:	Purified by Protein A.

# Target Details

Target:	Prostaglandin F2alpha	
Alternative Name:	Pgf2 alpha (Prostaglandin F2alpha Products)	
Background:	Synonyms: Prostaglandin F2 Alpha, PGF2 Alpha, 5Z,9,11,13E,15S-9,11,15-Trihydroxyprosta-	
	5,13-dienoic acid tris salt, PGF2-,Tris.	

#### **Target Details**

Background: Luteolytic prostaglandin that induces parturition. Potent vasoconstrictor of pulmonary, coronary, and cerebral arteriole beds. A positive feedback loop between endometrial PG F2 and luteal oxytocin is responsible for completion of luteolysis.Luteolytic prostaglandin that induces parturition. Potent vasoconstrictor of pulmonary, coronary, and cerebral arteriole beds. Also stimulates contraction of smooth muscle, such as in bronchi, with possible involvement in asthma. This effect is at least partially mediated through tachykinin release.

## **Application Details**

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE, which
	should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months