# antibodies -online.com





Datasheet for ABIN2179832

# anti-TSPAN12 antibody (AA 1-100) (Alexa Fluor 488)



Go to Product page

$\sim$			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	TSPAN12	
Binding Specificity:	AA 1-100	
Reactivity:	Human, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TSPAN12 antibody is conjugated to Alexa Fluor 488	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human TSPAN12	
Isotype:	IgG	
Cross-Reactivity:	Human, Rat	
Predicted Reactivity:	Mouse,Cow,Pig,Horse,Chicken,Rabbit	
Purification:	Purified by Protein A.	

## **Target Details**

Target:	TSPAN12
Alternative Name:	TSPAN12 (TSPAN12 Products)

## Target Details

Background:	Synonyms: EVR5, NET2, NET-2, TM4SF12, Tetraspanin-12, Tspan-12, Tetraspan NET-2,	
	Transmembrane 4 superfamily member 12, TSPAN12, UNQ774/PRO1568	
	Background: Regulator of cell surface receptor signal transduction. Plays a central role in retinal	
	vascularization by regulating norrin (NDP) signal transduction. Acts in concert with norrin (NDP)	
	to promote FZD4 multimerization and subsequent activation of FZD4, leading to promote	
	accumulation of beta-catenin (CTNNB1) and stimulate LEF/TCF-mediated transcriptional	
	programs. Suprisingly, it only activate the norrin (NDP)-dependent activation of FZD4, while it	
	does not activate the Wnt-dependent activation of FZD4, suggesting the existence of a Wnt-	
	independent signaling that also promote accumulation the beta-catenin (CTNNB1) (By	
	similarity). Acts as a regulator of membrane proteinases such as ADAM10 and MMP14/MT1-	
	MMP. Activates ADAM10-dependent cleavage activity of amyloid precursor protein (APP).	
	Activates MMP14/MT1-MMP-dependent cleavage activity.	
Gene ID:	23554	
UniProt:	O95859	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

Н	land	lına
	iaria	шц

Expiry Date:

12 months