# antibodies -online.com







# anti-TSPAN12 antibody (AA 1-100) (HRP)



#### Overview

Quantity:	100 μL
Target:	TSPAN12
Binding Specificity:	AA 1-100
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TSPAN12 antibody is conjugated to HRP
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human TSPAN12
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Cow,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

## Target Details

Target:	TSPAN12
Alternative Name:	TSPAN12 (TSPAN12 Products)

## **Target Details**

Background:	Synonyms: EVR5, NET2, NET-2, TM4SF12, Tetraspanin-12, Tspan-12, Tetraspan NET-2,
	Transmembrane 4 superfamily member 12, TSPAN12, UNQ774/PR01568
	Background: Regulator of cell surface receptor signal transduction. Plays a central role in retinal
	vascularization by regulating norrin (NDP) signal transduction. Acts in concert with norrin (NDP)
	to promote FZD4 multimerization and subsequent activation of FZD4, leading to promote
	accumulation of beta-catenin (CTNNB1) and stimulate LEF/TCF-mediated transcriptional
	programs. Suprisingly, it only activate the norrin (NDP)-dependent activation of FZD4, while it
	does not activate the Wnt-dependent activation of FZD4, suggesting the existence of a Wnt-
	independent signaling that also promote accumulation the beta-catenin (CTNNB1) (By
	similarity). Acts as a regulator of membrane proteinases such as ADAM10 and MMP14/MT1-
	MMP. Activates ADAM10-dependent cleavage activity of amyloid precursor protein (APP).
	Activates MMP14/MT1-MMP-dependent cleavage activity.
Gene ID:	23554
UniProt:	095859
Application Details	
Application Notes:	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish
	peroxidase.
Storage:	-20 °C

# Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months