

Datasheet for ABIN2181399

CD130/gp130 Protein (AA 23-617) (His tag)[Go to Product page](#)**1** Image

Overview

Quantity:	100 µg
Target:	CD130/gp130 (IL6ST)
Protein Characteristics:	AA 23-617
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD130/gp130 protein is labelled with His tag.

Product Details

Sequence:	AA 23-617
Characteristics:	This protein carries a polyhistidine tag at the C-terminus. The protein has a calculated MW of 68.5 kDa. The protein migrates as 85-100 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.
Purity:	>95 % as determined by SDS-PAGE.
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1.0 EU per µg by the LAL method.

Target Details

Target:	CD130/gp130 (IL6ST)
Alternative Name:	Gp130 (IL6ST Products)

Target Details


Background:	Interleukin-6 receptor subunit beta (IL6ST) is also known as IL-6 receptor subunit beta, IL-6R subunit beta, IL-6R-beta, IL-6RB, Interleukin-6 signal transducer, Membrane glycoprotein 130 (gp130), CD130, Oncostatin-M receptor subunit alpha and Il6st, which is single-pass type I membrane protein. IL6ST /gp130 /CD130 can be found in tissues such as brain, heart, thymus, spleen, kidney, lung and liver and found in all the cell lines tested except BaF-B03. The expression of IL-6ST /gp130 is not restricted to IL6-responsive cells. The receptor systems for IL6, LIF, OSM, CNTF, IL11, CTF1 and BSF3 can utilize gp130 for initiating signal transmission. IL6ST /CD130 can bind to IL6 /IL6R (alpha chain) complex, resulting in the formation of high-affinity IL6 binding sites, and transduce the signal. IL6ST /GP130 does not bind IL6 and may have a role in embryonic development.
Molecular Weight:	68.5 kDa
NCBI Accession:	NP_034690
Pathways:	JAK-STAT Signaling , Cellular Glucan Metabolic Process , Autophagy , Smooth Muscle Cell Migration , Cancer Immune Checkpoints

Application Details

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Lyophilized
Buffer:	PBS, pH 7.4
Handling Advice:	Please avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	No activity loss was observed after storage at: In lyophilized state for 1 year (4 °C), After reconstitution under sterile conditions for 3 months (-70 °C).



SDS-PAGE

Image 1. Mouse gp130, His Tag on SDS-PAGE under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95%.