antibodies .- online.com





anti-BTN3A2 antibody (C-Term) (FITC)



| / N | 1 | - | K | /1 | 01 | A / |
|--------|-----|----------|-----|-----|--------|-------------|
| 0 | 1// | \vdash | 1 \ | / I | - | \/\/ |
| \sim | ٧. | \sim | 1 V | | \sim | v v |

| Overview | |
|-----------------------------|---|
| Quantity: | 200 μL |
| Target: | BTN3A2 |
| Binding Specificity: | AA 297-327, C-Term |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This BTN3A2 antibody is conjugated to FITC |
| Application: | ELISA, Western Blotting (WB) |
| Product Details | |
| Immunogen: | BT3A2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 297~327 amino acids from the C-terminal region of human BT3A2. |
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Cross-Reactivity (Details): | Calculated cross reactivity: Hu |
| Characteristics: | BT3A2, CT (Butyrophilin subfamily 3 member A2, BTF4, BTF3, BT3.2, BTN3A2) (FITC) |
| Purification: | Purified by Protein A affinity chromatography. |
| Target Details | |
| Target: | BTN3A2 |
| | |

Target Details

| Abstract: | BTN3A2 Products |
|-----------|-----------------|
| UniProt: | P78410 |

Application Details

| Application Notes: | Optimal working conditions should be determined by the investigator. |
|--------------------|--|
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|------------------|--------------------------------------|
| Buffer: | Supplied as a liquid in PBS, pH 7.2. |
| Storage: | -20 °C |
| Storage Comment: | -20°C |