



[Go to Product page](#)

Datasheet for ABIN2292533
anti-ITIH2 antibody (C-Term)

Overview

| | |
|----------------------|---|
| Quantity: | 200 µL |
| Target: | ITIH2 |
| Binding Specificity: | AA 865-894, C-Term |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ITIH2 antibody is un-conjugated |
| Application: | Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Flow Cytometry (FACS) |

Product Details

| | |
|-----------------------------|--|
| Immunogen: | Synthetic peptide corresponding to a portion of amino acids within aa865-894 from the C-terminal region of human ITIH2, conjugated to KLH. Cellular Localization: Secreted |
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Cross-Reactivity (Details): | Calculated cross reactivity: Hu |
| Characteristics: | ITIH2, CT (Inter-alpha-Trypsin Inhibitor Heavy Chain H2, Inter-alpha-Inhibitor Heavy Chain 2, ITI Heavy Chain H2, ITI-HC2, H2P, IGHEP2, Inter-alpha-Trypsin Inhibitor Complex Component II, Serum-derived Hyaluronan-associated Protein, SHAP) |
| Purification: | Purified by ammonium sulfate precipitation. |

Target Details

| | |
|-------------------|---|
| Target: | ITIH2 |
| Alternative Name: | ITIH2 (ITIH2 Products) |
| Background: | Cellular Localization: Secreted |
| NCBI Accession: | NP_002207 |
| UniProt: | P19823 |
| Pathways: | Glycosaminoglycan Metabolic Process |

Application Details

| | |
|--------------------|--|
| Application Notes: | Optimal working conditions should be determined by the investigator. |
| Restrictions: | For Research Use only |

Handling

| | |
|--------------------|--|
| Format: | Liquid |
| Buffer: | Supplied as a liquid in PBS, 0.09 % sodium azide. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | -20°C |