antibodies .- online.com





anti-MAGEE2 antibody (C-Term) (Biotin)



Go to Product page

| () | 11/0 | K\ / | iew |
|-----|--------|--------|-------------|
| | \cup | 'I V/I | $I \cap VV$ |
| | | | |

Purification:

| Quantity: | 200 μL |
|-----------------------------|--|
| Target: | MAGEE2 |
| Binding Specificity: | AA 484-513, C-Term |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This MAGEE2 antibody is conjugated to Biotin |
| Application: | Western Blotting (WB), ELISA |
| Product Details | |
| Immunogen: | MAGEE2 antibody is generated from rabbits immunized with a KLH conjugated synthetic |
| | peptide between 484-513 amino acids from the C-terminal region of human MAGEE2. |
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Cross-Reactivity (Details): | Calculated cross reactivity: Hu |
| Characteristics: | MAGEE2, CT (MAGEE2, HCA3, Melanoma-associated antigen E2, Hepatocellular carcinoma-associated protein 3, MAGE-E2 antigen) (Biotin) |

Purified by Protein A affinity chromatography.

Target Details

| Target: | MAGEE2 |
|-------------------|--------------------------|
| Alternative Name: | MAGEE2 (MAGEE2 Products) |
| NCBI Accession: | NP_619648 |
| UniProt: | Q8TD90 |

Application Details

| Application Notes: | Optimal working conditions should be determined by the investigator. |
|--------------------|--|
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|------------------|--------------------------------------|
| Buffer: | Supplied as a liquid in PBS, pH 7.2. |
| Storage: | -20 °C |
| Storage Comment: | -20°C |