

Datasheet for ABIN2314543
anti-NAGA antibody (AA 18-217)



[Go to Product page](#)

Overview

Quantity:	200 µL
Target:	NAGA
Binding Specificity:	AA 18-217
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NAGA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Immunochromatography (IC)

Product Details

Immunogen:	NAGa (Leu18~Asp217), MGHHHHHHSGSEF- LEN GLLRTPPMGW LAWERFRCNI NCEEDPKNCI SERLFMEMAD RLAQDGWRDL GYVYLNIDDC WIGGRDATGR LIPDPKRFPH GIAFLADYAH SLGLKLGIE DMGKMTCMGY PGTTLDKVEL DAATFAEWKV DMLKLDGCYS TPKERAEGYP KMAAALNATG RPIAFSCSWP AYEGGLPPKV NYTEVAGTCN LWRNYKD
Sequence:	MGHHHHHHHSG SEF-LENGLLRTPP MGW LAWERFRCNI NCEEDPKNCI SERLFMEMAD RLAQDGWRDL GYVYLNIDDC WIGGRDATGR LIPDPKRFPH GIAFLADYAH SLGLKLGIE DMGKMTCMGY PGTTLDKVEL DAATFAEWKV DMLKLDGCYS TPKERAEGYP KMAAALNATG RPIAFSCSWP AYEGGLPPKV NYTEVAGTCN LWRNYKD
Isotype:	IgG
Cross-Reactivity:	Rat (Rattus)
Cross-Reactivity (Details):	Calculated cross reactivity: Rt

Product Details

Characteristics:	N-Acetylgalactosaminidase Alpha (NAGa, Alpha-N-Acetylgalactosaminidase)
Purification:	Purified by immunoaffinity chromatography.

Target Details

Target:	NAGA
Alternative Name:	N-Acetylgalactosaminidase alpha (NAGA Products)

Application Details

Application Notes:	Optimal working conditions should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Supplied as a liquid in PBS, pH 7.2, 0.05 % sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	-20°C