antibodies -online.com





Datasheet for ABIN2375259

anti-TICAM antibody (C-Term)



_			
\cup)ve	rv	iew

3.01.1011		
Quantity:	100 μg	
Target:	TICAM	
Binding Specificity:	C-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TICAM antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC)	
Product Details		
Immunogen:	A synthetic peptide corresponding to a sequence at the C-terminal of human TICAM(692-712aa NNHMWNQRGSQAPEDKTQEAE).	
Sequence:	NNHMWNQRGS QAPEDKTQEA E	
Isotype:	IgG	
Cross-Reactivity:	Human	
Cross-Reactivity (Details):	Calculated cross reactivity: Hu	
Characteristics:	TICAM (Proline-rich, vinculin and TIR domain-containing protein B, Putative NF-kappa-B-activating protein 502H, Toll-interleukin-1 receptor domain-containing adapter protein inducing interferon beta)	
Purification:	Purified by immunoaffinity chromatography.	

Target Details

Target:	TICAM	
Alternative Name:	TICAM (TICAM Products)	
UniProt:	Q8IUC6	

Application Details

Application Notes:	Optimal working conditions should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Tiarialing		
Format:	Lyophilized	
Reconstitution:	Reconstitution: Add 0.2 mL of distilled water will yield a concentration of 500 μg/mL.	
Buffer:	Supplied as a lyophilized powder. Each vial contains 5 mg BSA, 0.9 mg NaCl, 0.2 mg Na2HPO4, 0.05 mg Thimerosal, 0.05 mg Sodium azide.	
Preservative:	Sodium azide, Thimerosal (Merthiolate)	
Precaution of Use:	This product contains Sodium azide and Thimerosal (Merthiolate): POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	4°C/-20°C	