

Datasheet for ABIN2460218 **anti-TAF10 antibody**



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	TAF10
Reactivity:	Human, Mouse, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TAF10 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Antibody produced in rabbits immunized with a synthetic peptide corresponding a region of human TAF10.
Purification:	Antibody is purified by peptide affinity chromatography method.

Target Details

Target:	TAF10
Alternative Name:	TAF10 (TAF10 Products)
Background:	TAFs may participate in basal transcription, serve as coactivators, function in promoter recognition or modify general transcription factors (GTFs) to facilitate complex assembly and transcription initiation. TAF10 is one of the small subunits of TFIID that is associated with a subset of TFIID complexes. It is required for transcriptional activation by the estrogen receptor, for progression through the cell cycle, and may also be required for certain cellular

Target Details

differentiation programs.

Molecular Weight: 22 kDa

Gene ID: 6881

NCBI Accession: [NP_006275](#)

UniProt: [Q12962](#)

Application Details

Application Notes: TAF10 antibody can be used for detection of TAF10 by ELISA at 1:1562500. TAF10 antibody can be used for detection of TAF10 by western blot at 0.5 µg/mL, and HRP conjugated secondary antibody should be diluted 1:50,000 - 100,000.

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Add 50 µL of distilled water. Final antibody concentration is 1 mg/mL.


Concentration: 1 mg/mL

Buffer: Antibody is lyophilized in PBS buffer with 2 % sucrose.

Handling Advice: As with any antibody avoid repeat freeze-thaw cycles.

Storage: 4 °C/-20 °C

Storage Comment: For short periods of storage (days) store at 4 °C. For longer periods of storage, store TAF10 antibody at -20 °C.



Western Blotting

Image 1.