antibodies -online.com





anti-PAWR antibody



Image



()	ve	K\ /		A .
	\cup	1 V/	-	V۷

Overview		
Quantity:	100 μL	
Target:	PAWR	
Reactivity:	Human, Mouse, Rat, Dog	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PAWR antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA	
Product Details		
lmmunogen:	Antibody produced in rabbits immunized with a synthetic peptide corresponding a region of human PAWR.	
Purification:	Antibody is purified by peptide affinity chromatography method.	
Target Details		
Target:	PAWR	
Alternative Name:	PAWR (PAWR Products)	
Background:	The tumor suppressor WT1 represses and activates transcription. Anti-Prostate Apoptosis Response Protein Par-4 (PAWR) is a WT1-interacting protein that itself functions as a transcriptional repressor. It contains a putative leucine zipper domain which interacts with the zinc finger DNA binding domain of WT1. This protein is specifically upregulated during	

Target Details


Molecular Weight:	37 kDa
Gene ID:	5074
NCBI Accession:	NP_002574
UniProt:	075796

Application Details

Application Notes:	PAWR antibody can be used for detection of PAWR by ELISA at 1:62500. PAWR antibody can	
	be used for detection of PAWR by western blot at 0.2-5.0 $\mu g/mL$, and HRP conjugated	
	secondary antibody should be diluted 1:50,000 - 100,000.	
Restrictions:	For Research Use only	

Handling

Format:	Lyophilized	
Reconstitution:	Add 50 ?L of distilled water. Final antibody concentration is 1 mg/mL.	
Concentration:	1 mg/mL	
Buffer:	Antibody is lyophilized in PBS buffer with 2 % sucrose.	
Handling Advice:	As with any antibody avoid repeat freeze-thaw cycles.	
Storage:	4 °C/-20 °C	
Storage Comment:	For short periods of storage (days) store at 4 °C. For longer periods of storage, store PAWR antibody at -20 °C.	



Western Blotting

Image 1.