

Datasheet for ABIN2460713

anti-T-Box 5 antibody






_		erview				
	1//	r	1//	\triangle	۸/	
	V		VI		/ V	

Overview			
Quantity:	100 μL		
Target:	T-Box 5 (TBX5)		
Reactivity:	Human, Dog		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This T-Box 5 antibody is un-conjugated		
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)		
Product Details			
Immunogen:	Antibody produced in rabbits immunized with a synthetic peptide corresponding a region of human TBX5.		
Purification:	Antibody is purified by peptide affinity chromatography method.		
Target Details			
Target:	T-Box 5 (TBX5)		
Alternative Name:	TBX5 (TBX5 Products)		
Background:	TBX5 is a member of a phylogenetically conserved family of genes that share a common DNA-binding domain, the T-box. T-box genes encode transcription factors involved in the regulation of developmental processes. This gene is closely linked to related family member T-box 3 (ulnar mammary syndrome) on human chromosome 12. The encoded protein may play a role in heart		
	development and specification of limb identity. Mutations in this gene have been associated		

Target Details

	with Holt-Oram syndrome, a developmental disorder affecting the heart and upper limbs.	
Molecular Weight:	39 kDa	
Gene ID:	6910	
NCBI Accession:	NP_542449	
UniProt:	Q99593	
Application Details		
Application Notes:	TBX5 antibody can be used for detection of TBX5 by ELISA at 1:62500. TBX5 antibody can be used for detection of TBX5 by western blot at 0.5 µg/mL, and HRP conjugated secondary antibody should be diluted 1:50,000 - 100,000.	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Add 50 ?L of distilled water. Final antibody concentration is 1 mg/mL.	
Concentration:	1 mg/mL	
Buffer:	Antibody is lyophilized in PBS buffer with 2 % sucrose.	
Handling Advice:	As with any antibody avoid repeat freeze-thaw cycles.	
Storage:	4 °C/-20 °C	
Storage Comment:	For short periods of storage (days) store at 4 °C. For longer periods of storage, store TBX5 antibody at -20 °C.	



Western Blotting

Image 1.