.-online.com antibodies

Datasheet for ABIN2460788 anti-TOX antibody

Image




Overview

Quantity:	100 µL
Target:	ТОХ
Reactivity:	Human, Mouse, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TOX antibody is un-conjugated
Application:	Western Blotting (WB), ELISA
Product Details	
Immunogen:	Antibody produced in rabbits immunized with a synthetic peptide corresponding a region of human TOX.
Purification:	Antibody is purified by peptide affinity chromatography method.
Target Details	
Target:	ТОХ
Alternative Name:	TOX (TOX Products)
Background:	Some high-mobility group (HMG) box proteins (e.g., LEF1) contain a single HMG box motif and bind DNA in a sequence-specific manner, while other members of this family (e.g., HMG1) have multiple HMG boxes and bind DNA in a sequence-independent but structure-dependent
	manner. All HMG box proteins are able to induce a sharp bend in DNA. TOX contains a single HMG box motif.Some high-mobility group (HMG) box proteins (e.g., LEF1, MIM 153245) contain

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2460788 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

	a single HMG box motif and bind DNA in a sequence-specific manner, while other members of
	this family (e.g., HMG1, MIM 163905) have multiple HMG boxes and bind DNA in a sequence-
	independent but structure-dependent manner. All HMG box proteins are able to induce a sharp
	bend in DNA. TOX contains a single HMG box motif.
Molecular Weight:	58 kDa
Gene ID:	9760
NCBI Accession:	NP_055544
UniProt:	094900
Application Details	
Application Notes:	TOX antibody can be used for detection of TOX by ELISA at 1:312500. TOX antibody can be
	used for detection of TOX by western blot at 1.0 $\mu\text{g/mL}$, and HRP conjugated secondary
	antibody should be diluted 1:50,000 - 100,000.
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Add 50 ?L of distilled water. Final antibody concentration is 1 mg/mL.
Concentration:	1 mg/mL
Buffer:	Antibody is lyophilized in PBS buffer with 2 % sucrose.
Handling Advice:	As with any antibody avoid repeat freeze-thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	For short periods of storage (days) store at 4 °C. For longer periods of storage, store TOX antibody at -20 °C.



Western Blotting

Image 1.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2460788 | 09/11/2023 | Copyright antibodies-online. All rights reserved.