

Datasheet for ABIN2461712 **anti-TIMELESS antibody**

1 Image




Go to Product page

_						
	1//	Д	rv	16	٦/	٨
U	W	\vdash	ΙV	Ιt	٦,	/V

Quantity:	100 μL		
Target:	TIMELESS		
Reactivity:	Human, Dog		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This TIMELESS antibody is un-conjugated		
Application:	Western Blotting (WB), ELISA		
Product Details			
Immunogen:	Antibody produced in rabbits immunized with a synthetic peptide corresponding a region of human TIMELESS.		
Purification:	Antibody is purified by protein A chromatography method.		
Target Details			
Target:	TIMELESS		
Alternative Name:	TIMELESS (TIMELESS Products)		
Background:	The human Timeless protein interacts with both the circadian clock protein cryptochrome 2 and with the cell cycle checkpoint proteins Chk1 and the ATR-ATRIP complex and plays an important role in the DNA damage checkpoint response. Down-regulation of Timeless in human cells seriously compromises replication and intra-S checkpoints, indicating an intimate		
	connection between the circadian cycle and the DNA damage checkpoints that is in part		

Target Details

rarget Details		
	mediated by the Timeless protein.	
Molecular Weight:	139 kDa	
Gene ID:	8914	
NCBI Accession:	NP_003911	
UniProt:	Q9UNS1	
Pathways:	Protein targeting to Nucleus, Photoperiodism	
Application Details		
Application Notes:	TIMELESS antibody can be used for detection of TIMELESS by ELISA at 1:312500. TIMELESS	
	antibody can be used for detection of TIMELESS by western blot at 2.5 $\mu g/mL$, and HRP	
	conjugated secondary antibody should be diluted 1:50,000 - 100,000.	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Add 100 ?L of distilled water. Final antibody concentration is 1 mg/mL.	
Concentration:	1 mg/mL	
Buffer:	Antibody is lyophilized in PBS buffer with 2 % sucrose.	
Handling Advice:	As with any antibody avoid repeat freeze-thaw cycles.	
Storage:	4 °C/-20 °C	
Storage Comment:	For short periods of storage (days) store at 4 °C. For longer periods of storage, store TIMELESS antibody at -20 °C.	



Western Blotting

Image 1.