antibodies - online.com







anti-ZNF382 antibody





()	1/0	r\ / I	014	
()	ve	I V I	-v	V

OVEIVIEW	
Quantity:	100 μL
Target:	ZNF382
Reactivity:	Human, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF382 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA
Product Details	
Immunogen:	Antibody produced in rabbits immunized with a synthetic peptide corresponding a region of human ZNF382.
Purification:	Antibody is purified by protein A chromatography method.
Target Details	
Target:	ZNF382
Alternative Name:	ZNF382 (ZNF382 Products)
Background:	Members of the C2H2 zinc finger transcription factor family, such as ZNF382, play key roles in the regulation of cell proliferation, differentiation, and apoptosis in response to a variety of stimuli. Members of the C2H2 zinc finger transcription factor family, such as ZNF382, play key roles in the regulation of cell proliferation, differentiation, and apoptosis in response to a variety

of stimuli (Gebelein et al., 1998).

Target Details


Molecular Weight:	64 kDa
Gene ID:	84911
NCBI Accession:	NP_116214
UniProt:	Q96SR6

Application Details

Application Notes:	ZNF382 antibody can be used for detection of ZNF382 by ELISA at 1:1562500. ZNF382	
	antibody can be used for detection of ZNF382 by western blot at 1.25 $\mu g/mL$, and HRP	
	conjugated secondary antibody should be diluted 1:50,000 - 100,000.	
Restrictions:	For Research Use only	

Handling

Format:	Lyophilized
Reconstitution:	Add 100 ?L of distilled water. Final antibody concentration is 1 mg/mL.
Concentration:	1 mg/mL
Buffer:	Antibody is lyophilized in PBS buffer with 2 % sucrose.
Handling Advice:	As with any antibody avoid repeat freeze-thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	For short periods of storage (days) store at 4 °C. For longer periods of storage, store ZNF382 antibody at -20 °C.



Western Blotting

Image 1.