antibodies -online.com







Image



Overview

Quantity:	100 μL
Target:	SNRNP35
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SNRNP35 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	Antibody produced in rabbits immunized with a synthetic peptide corresponding a region of
	human U1SNRNPBP.
Purification:	Antibody is purified by protein A chromatography method.
Target Details	
Target:	SNRNP35
Alternative Name:	U1SNRNPBP (SNRNP35 Products)
Background:	U1SNRNPBP is a homolog of U1-snRNP binding protein. Its N-terminal half contains a RNA
	recognition motif and the C-terminal half is rich in Arg/Asp and Arg/Glu dipeptides, a
	characteristic of a variety of splicing factors. The protein encoded by this gene is a homolog of
	U1-snRNP binding protein. Its N-terminal half contains a RNA recognition motif and the C-
	terminal half is rich in Arg/Asp and Arg/Glu dipeptides, a characteristic of a variety of splicing

Target Details	
	factors. This gene is differentially expressed in a variety of human tissues. Multiple alternatively spliced transcript variants have been found for this gene, and they differ in the 5' sequence regions.
Molecular Weight:	28 kDa, 29 kDa, 29 kDa, 30 kDa
Gene ID:	11066
NCBI Accession:	NP_851034
UniProt:	Q5XKN9
Application Details	
Application Notes:	U1SNRNPBP antibody can be used for detection of U1SNRNPBP by ELISA at 1:1562500. U1SNRNPBP antibody can be used for detection of U1SNRNPBP by western blot at 2.5 µg/mL, and HRP conjugated secondary antibody should be diluted 1:50,000 - 100,000.
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Decemptitution	Add 100 OL of distilled water Final antihody components in 1 may/ml

Format:	Lyophilized
Reconstitution:	Add 100 ?L of distilled water. Final antibody concentration is 1 mg/mL.
Concentration:	1 mg/mL
Buffer:	Antibody is lyophilized in PBS buffer with 2 % sucrose.
Handling Advice:	As with any antibody avoid repeat freeze-thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	For short periods of storage (days) store at 4 °C. For longer periods of storage, store U1SNRNPBP antibody at -20 °C.



Western Blotting

Image 1.