# antibodies - online.com







## anti-SLC2A6 antibody





$\sim$			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	SLC2A6	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SLC2A6 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA	
Product Details		
Immunogen:	Antibody produced in rabbits immunized with a synthetic peptide corresponding a region of human SLC2A6.	
Purification:	Antibody is purified by protein A chromatography method.	
Target Details		
Target:	SLC2A6	
Alternative Name:	SLC2A6 (SLC2A6 Products)	
Background:	Hexose transport into mammalian cells is catalyzed by a family of membrane proteins, including SLC2A6, which contains 12 transmembrane domains and a number of critical conserved residues. Hexose transport into mammalian cells is catalyzed by a family of membrane proteins, including SLC2A6, that contain 12 transmembrane domains and a number of critical conserved residues.	

## Target Details


Molecular Weight:	56 kDa
Gene ID:	11182
NCBI Accession:	NP_060055
UniProt:	Q9UGQ3

## Application Details

Application Notes:	SLC2A6 antibody can be used for detection of SLC2A6 by ELISA at 1:312500. SLC2A6 antibody	
	can be used for detection of SLC2A6 by western blot at 2.5 $\mu g/mL$ , and HRP conjugated	
	secondary antibody should be diluted 1:50,000 - 100,000.	
Restrictions:	For Research Use only	

## Handling

Format:	Lyophilized
Reconstitution:	Add 100 ?L of distilled water. Final antibody concentration is 1 mg/mL.
Concentration:	1 mg/mL
Buffer:	Antibody is lyophilized in PBS buffer with 2 % sucrose.
Handling Advice:	As with any antibody avoid repeat freeze-thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	For short periods of storage (days) store at 4 °C. For longer periods of storage, store SLC2A6 antibody at -20 °C.



## **Western Blotting**

Image 1.