

Datasheet for ABIN2463669

anti-CDK9 antibody





Go to Product page

()	VE	IN	/1	1	Α
1)	\/ ⊢	3 I /	/ 1 (_,	//\
\sim	٧ ر	, I 1	/ I'	$\overline{}$	v v

Quantity:	100 μL	
Target:	CDK9	
Reactivity:	Human, Dog	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CDK9 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA	
Product Details		
Immunogen:	Antibody produced in rabbits immunized with a synthetic peptide corresponding a region of human CDK9.	
Purification:	Antibody is purified by protein A chromatography method.	
Target Details		
Target:	CDK9	
Alternative Name:	CDK9 (CDK9 Products)	
Background:	CDK9 is a member of the cyclin-dependent protein kinase (CDK) family. CDK family members	
	are highly similar to the gene products of S. cerevisiae cdc28, and S. pombe cdc2, and known	
	as important cell cycle regulators. This kinase was found to be a component of the multiprotein	
	complex TAK/P-TEFb, which is an elongation factor for RNA polymerase II-directed	
	transcription and functions by phosphorylating the C-terminal domain of the largest subunit of	

RNA polymerase II. This protein forms a complex with and is regulated by its regulatory subunit cyclin T or cyclin K. HIV-1 Tat protein was found to interact with this protein and cyclin T, which suggested a possible involvement of this protein in AIDS. The protein encoded by this gene is a member of the cyclin-dependent protein kinase (CDK) family. CDK family members are highly similar to the gene products of S. cerevisiae cdc28, and S. pombe cdc2, and known as important cell cycle regulators. This kinase was found to be a component of the multiprotein complex TAK/P-TEFb, which is an elongation factor for RNA polymerase II-directed transcription and functions by phosphorylating the C-terminal domain of the largest subunit of RNA polymerase II. This protein forms a complex with and is regulated by its regulatory subunit cyclin T or cyclin K. HIV-1 Tat protein was found to interact with this protein and cyclin T, which suggested a possible involvement of this protein in AIDS.

Molecular Weight:	43 kDa
Gene ID:	1025
NCBI Accession:	NP_001252
UniProt:	P50750
Pathways:	Cell Division Cycle

Application Details

Application	Notes:

CDK9 antibody can be used for detection of CDK9 by ELISA at 1:312500. CDK9 antibody can be used for detection of CDK9 by western blot at 2.5 µg/mL, and HRP conjugated secondary antibody should be diluted 1:50,000 - 100,000.

Restrictions:


For Research Use only

Handling

Format:	Lyophilized		
Reconstitution:	Add 50 ?L of distilled water. Final antibody concentration is 1 mg/mL.		
Concentration:	1 mg/mL		
Buffer:	Antibody is lyophilized in PBS buffer with 2 % sucrose.		
Handling Advice:	As with any antibody avoid repeat freeze-thaw cycles.		
Storage:	4 °C/-20 °C		
Storage Comment:	For short periods of storage (days) store at 4 °C. For longer periods of storage, store CDK9		

antibody at -20 °C.

Images



Western Blotting

Image 1.