

Datasheet for ABIN2464018
anti-BLK antibody (truncated)



[Go to Product page](#)

2 Images

Overview

Quantity:	0.1 mL
Target:	BLK
Binding Specificity:	truncated
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This BLK antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Ni-NTA purified truncated recombinant BLK expressed in E. Coli strain BL21 (DE3).
Clone:	9D10B7H6-9D10A8F8
Isotype:	IgG1

Target Details

Target:	BLK
Alternative Name:	BLK (BLK Products)
Background:	BLK (B lymphoid tyrosine kinase), with 505-amino acid protein (about 56 kDa), belongs to the Src non-receptor tyrosine kinases family.Different subcellular localizations of Src-family kinases may be important for the regulation of specific cellular processes such as mitogenesis, cytoskeletal organization, and membrane trafficking.Blk is expressed exclusively by B

Target Details

lymphocytes and it is thought to function in a signal transducing pathway specific to this lineage. B lymphoid expression of an active Blk mutant caused proliferation of B progenitor cells and enhanced responsiveness of these cells to interleukin 7. Thus, sustained activation of Blk induces responses normally associated with the pre-BCR.

Gene ID: 640

UniProt: [P51451](#)

Pathways: [Positive Regulation of Peptide Hormone Secretion](#), [CXCR4-mediated Signaling Events](#), [Thromboxane A2 Receptor Signaling](#)

Application Details

Application Notes: Western Blot:1:500 - 1:2,000
IHC(P):1:500 - 1:2,000
IHC(F):1:500 - 1:2,000
ELISA:Propose dilution 1:10,000.
Determining optimal working dilutions by titration test.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Ascitic fluid containing 0.03 % sodium azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.


Storage: -20 °C

Storage Comment: BLK monoclonal antibody can be stored at -20 °C, stable for one year.



Western Blotting

Image 1.



Immunohistochemistry

Image 2.