

Datasheet for ABIN2468266

Defensin beta 3 Protein (DEFB3)



Overview

Quantity:	0.005 mg
Target:	Defensin beta 3 (DEFB3)
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Product Details	
Sequence:	GIINTLQKYY CRVRGGRCAV LSCLPKEEQI GKCSTRGRKC CRRKK
Purity:	< 98 % by SDS-PAGE gel and HPLC analyses.
Endotoxin Level:	Endotoxin level is less than 0.1 ng per μg (1 EU/μg).
Target Details	
Target:	Defensin beta 3 (DEFB3)
Target: Alternative Name:	Defensin beta 3 (DEFB3) BD-3 (DEFB3 Products)
Alternative Name:	BD-3 (DEFB3 Products)
Alternative Name:	BD-3 (DEFB3 Products) Defensins (alpha and beta) are cationic peptides with a broad spectrum of antimicrobial activity
Alternative Name:	BD-3 (DEFB3 Products) Defensins (alpha and beta) are cationic peptides with a broad spectrum of antimicrobial activity that comprise an important arm of the innate immune system. The α -defensins are
Alternative Name:	BD-3 (DEFB3 Products) Defensins (alpha and beta) are cationic peptides with a broad spectrum of antimicrobial activity that comprise an important arm of the innate immune system. The α -defensins are distinguished from the beta-defensins by the pairing of their three disulfide bonds. To date, four
Alternative Name:	BD-3 (DEFB3 Products) Defensins (alpha and beta) are cationic peptides with a broad spectrum of antimicrobial activity that comprise an important arm of the innate immune system. The α -defensins are distinguished from the beta-defensins by the pairing of their three disulfide bonds. To date, four human beta-defensins have been identified , BD-1, BD-2, BD-3 and BD-4. beta-defensins are
Alternative Name:	BD-3 (DEFB3 Products) Defensins (alpha and beta) are cationic peptides with a broad spectrum of antimicrobial activity that comprise an important arm of the innate immune system. The α-defensins are distinguished from the beta-defensins by the pairing of their three disulfide bonds. To date, four human beta-defensins have been identified, BD-1, BD-2, BD-3 and BD-4. beta-defensins are expressed on some leukocytes and at epithelial surfaces. In addition to their direct

Target Details

	1 (36 a.a.), a propeptide region. beta-defensins contain a six-cysteine motif that forms three intra-molecular disulfide bonds. beta-Defensins are 3-5 kDa peptides ranging in size from 33-47 amino acid residues. Recombinant Human BD-3 is a 5.1 kDa protein containing 45 amino acid residues.
Gene ID:	55894
NCBI Accession:	NP_061131
OMIM:	8923890
UniProt:	P81534
Pathways:	Production of Molecular Mediator of Immune Response

Application Details

Storage Comment:

Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Handling Advice:	As with any protein, exposing BD3 recombinant protein to repeated freeze / thaw cycles is not recommended. When working with proteins care should be taken to keep recombinant protein at a cool and stable temperature.
Storage:	-20 °C

The recombinant protein is stable for at least 2 years from date of receipt at -20 °C.