# antibodies .- online.com





## anti-PAP Associated Domain Containing 7 (PAPD7) (AA 447-462) antibody



Go to Product pag

### 2 Images

Overview	
Quantity:	0.05 mg
Target:	PAP Associated Domain Containing 7 (PAPD7)
Binding Specificity:	AA 447-462
Reactivity:	Human, Monkey, Gibbon, Gorilla
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	POLS antibody was raised against amino acids 447 - 462 of POLS (Human).
Isotype:	IgG
Purification:	Protein G Column
Target Details	
Target:	PAP Associated Domain Containing 7 (PAPD7)
Alternative Name:	POLS (PAPD7 Products)
Target Type:	Viral Protein
Background:	TRF4-1 is a nuclear protein whose expression is cell cycle-regulated at a post-transcriptional level. Two genes, TRF4-1 and TRF4-2, belonging to this family have been identified. TRF4 is also

#### **Target Details**

	required to maintain a different aspect of higher order chromosome structure, sister chromatid cohesion.
Gene ID:	11044
UniProt:	Q5XG87


#### **Application Details**

Application Notes:	POLS antibody can be used in ELISA, Western Blot starting at 1:500 - 1:1000, and
	immunohistochemistry starting at 5 μg/mL.
Restrictions:	For Research Use only

#### Handling


Format:	Liquid
Buffer:	PBS containing 0.2 % gelatin and 0.05 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	As with all antibodies avoid freeze/thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	POLS antibody can be stored short term 4 °C. For long term storage aliquot and store at -20 °C.

#### **Images**



#### **Western Blotting**

Image 1.



#### **Immunohistochemistry**

Image 2.