



[Go to Product page](#)

Datasheet for ABIN2473589

## anti-FAP antibody (Extracellular Domain)

1 Image

1 Publication

### Overview

Quantity:	50 µg
Target:	FAP
Binding Specificity:	Extracellular Domain
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAP antibody is un-conjugated
Application:	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

### Product Details

Immunogen:	Synthetic peptide: extracellular domain of human FAP alpha, conjugated to keyhole limpet hemocyanin.
Isotype:	IgG
Characteristics:	Purified IgG
Purification:	Purified

### Target Details

Target:	FAP
Alternative Name:	FAP alpha ( <a href="#">FAP Products</a> )
Background:	Synonyms: SEPRASE

## Target Details

---

Gene ID: 2191

UniProt: [Q12884](#)

Pathways: [Tube Formation](#)

## Application Details

---

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

## Handling

---

Format: Liquid


Concentration: 0.5 mg/mL

## Publications

---

Product cited in: Motallebzadeh, Rehakova, Conlon, Win, Callaghan, Goddard, Bolton, Ruddle, Bradley, Pettigrew: "Blocking lymphotoxin signaling abrogates the development of ectopic lymphoid tissue within cardiac allografts and inhibits effector antibody responses." in: **FASEB journal : official publication of the Federation of American Societies for Experimental Biology**, Vol. 26, Issue 1, pp. 51-62, (2012) ([PubMed](#)).

Silveira, Nunes, Cara, Souza, Corrêa, Teixeira, Negrão-Corrêa: "Infection with *Strongyloides venezuelensis* induces transient airway eosinophilic inflammation, an increase in immunoglobulin E, and hyperresponsiveness in rats." in: **Infection and immunity**, Vol. 70, Issue 11, pp. 6263-72, (2002) ([PubMed](#)).



**Immunohistochemistry**

**Image 1.**