

Datasheet for ABIN2474573

Rabbit anti-Mouse IgG Antibody (Biotin)[Go to Product page](#)**2** Publications

Overview

Quantity:	1 mg
Target:	IgG
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Biotin
Application:	ELISA, Flow Cytometry (FACS), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	Purified mouse IgG
Isotype:	IgG
Fragment:	F(ab') ₂ fragment
Cross-Reactivity:	Rat (Rattus)
Characteristics:	F(ab') ₂ fragment of IgG conjugated to biotin

Target Details

Target:	IgG
Abstract:	IgG Products
Target Type:	Antibody

Target Details

Gene ID: 16016, 16017, 380793

UniProt: [P01863](#), [P01864](#), [P01865](#), [P01867](#), [P01868](#), [P01869](#), [P03987](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1.0 mg/mL

Publications

Product cited in: Motallebzadeh, Rehakova, Conlon, Win, Callaghan, Goddard, Bolton, Ruddle, Bradley, Pettigrew: "Blocking lymphotoxin signaling abrogates the development of ectopic lymphoid tissue within cardiac allografts and inhibits effector antibody responses." in: **FASEB journal : official publication of the Federation of American Societies for Experimental Biology**, Vol. 26, Issue 1, pp. 51-62, (2012) ([PubMed](#)).

Silveira, Nunes, Cara, Souza, Corrêa, Teixeira, Negrão-Corrêa: "Infection with *Strongyloides venezuelensis* induces transient airway eosinophilic inflammation, an increase in immunoglobulin E, and hyperresponsiveness in rats." in: **Infection and immunity**, Vol. 70, Issue 11, pp. 6263-72, (2002) ([PubMed](#)).