

Datasheet for ABIN2481930

anti-HSPE1 antibody (AA 91-101) (APC)

Images



\sim			
	Ive	r\/	٨/
\sim	V C	ı v	v v

Background:

Quantity:	100 μg	
Target:	HSPE1	
Binding Specificity:	AA 91-101	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HSPE1 antibody is conjugated to APC	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunoprecipitation (IP),	
	Immunofluorescence (IF), Immunocytochemistry (ICC)	
Product Details		
Immunogen:	Human Cpn10 peptide AA 91-101	
Specificity:	Detects ~ 10 kDa.	
Cross-Reactivity:	Cow, Dog, Guinea Pig, Human, Mouse, Pig, Rabbit, Rat, Sheep, Xenopus laevis	
Purification:		
	Protein A Purified	
Target Details	Protein A Purified	
	Protein A Purified HSPE1	

Chaperonin 10, otherwise known as Cpn10, (groES in E.coli) make up a family of small heart

shock proteins with an approximate molecular mass of 10 kDa (HSP10s). Cpn10 acts as a co-chaperone and interacts with the HSP60 family to promote proper folding of polypeptides. Cpn10 and Cpn60 both exhibit sevenfold axis of symmetry and function as a team in the protein folding and assembly process (1). Cpn10 has been located in human platelets, but is also present in human maternal serum (2, 3). It has been reported that human Cpn10 is identical with early pregnancy factor, which is involved in control over cell growth and development. This identification suggest that Cpn10 may act like a hormone in stressful situations such as pregnancy (4).

Gene ID:

3336

NCBI Accession:

NP 002148

UniProt:

P61604

Pathways:

Positive Regulation of Endopeptidase Activity

Application Details

Application Notes:

- WB (1:1000)
- IHC (1:100)
- optimal dilutions for assays should be determined by the user.

Comment:


 $1 \mu g/ml$ of ABIN2481930 was sufficient for detection of Cpn10 in 10 μg of Hela lysates by colorimetric immunoblot analysis using Goat anti-rabbit lgG:HRP as the secondary antibody.


Restrictions:

For Research Use only

Handling

Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	PBS pH 7.3, 0.02 % sodium azide, Storage buffer may change when conjugated	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C	
Storage Comment:	Conjugated antibodies should be stored at 4°C	





Immunohistochemistry

Image 1. Immunohistochemistry analysis using Rabbit Anti-Cpn10 Polyclonal Antibody . Tissue: backskin. Species: Mouse. Fixation: Bouin's Fixative Solution. Primary Antibody: Rabbit Anti-Cpn10 Polyclonal Antibody at 1:100 for 1 hour at RT. Secondary Antibody: FITC Goat Anti-Rabbit (green) at 1:50 for 1 hour at RT. Localization: Strong basal layer punctate staining in the cytoplasm, weakens as it ascends to upper epidermis..

Western Blotting

Image 2. Western blot analysis of Rat brain cell lysates showing detection of Cpn10 protein using Rabbit Anti-Cpn10 Polyclonal Antibody . Load: 15 µg protein. Block: 1.5% BSA for 30 minutes at RT. Primary Antibody: Rabbit Anti-Cpn10 Polyclonal Antibody at 1:1000 for 2 hours at RT. Secondary Antibody: Donkey Anti-Rabbit IgG: HRP for 1 hour at RT.