# antibodies - online.com







## anti-Bassoon antibody (AA 786-1041) (APC)

**Images** 



#### Overview

Quantity:	100 μg
Target:	Bassoon (BSN)
Binding Specificity:	AA 786-1041
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Bassoon antibody is conjugated to APC
Application:	Immunohistochemistry (IHC), Western Blotting (WB)

### **Product Details**

Immunogen:	NM_003458.3 (AA 786-1041) N-terminal his-tagged fusion protein
Specificity:	Detects ~420 kDa. Multiple isoforms can be detected.
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Protein A Purified

## Target Details

Target:	Bassoon (BSN)
Alternative Name:	Bassoon (BSN Products)
Background:	Bassoon is a 420 kDa protein that is a localized at the presynaptic nerve terminals and is believed to play a role in the structural and functional organization of the synaptic vesicle cycle.

Bassoon is predicted to contain two double-zinc fingers, three coiled-coil regions, and two
polyglutamine domains. The polyglutamine domains in the C-terminus are of interest, since it is
known that for some human proteins, such as Huntington, abnormal amplification of this
region can cause late-onset neurodegeneration. Bassoon is concentrated at sites opposite to
postsynaptic densities in synaptic terminals and in cultured neurons, it is found to co-localize
with GABA (A) and glutamate (GluR1) receptors (1).

Gene ID:	8927
NCBI Accession:	NP_003449
UniProt:	Q9UPA5

## **Application Details**

<ul> <li>WB (1:1000)</li> <li>IHC (1:400)</li> <li>optimal dilutions for assays should be determined by the user.</li> </ul>
1 μg/ml of ABIN2484541 was sufficient for detection of Bassoon in 10 μg of rat brain tissue
lysate by colorimetric immunoblot analysis using goat ant rabbit IgG:HRP as the secondary
antibody.

For Research Use only

## Handling


Restrictions:

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS pH 7.4, 50 % glycerol, 0.09 % sodium azide, Storage buffer may change when conjugated
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Conjugated antibodies should be stored at 4°C



#### **Immunohistochemistry**

Image 1. Immunohistochemistry analysis using Rabbit Anti-Bassoon Polyclonal Antibody . Tissue: Muscle. Species: Mouse. Primary Antibody: Rabbit Anti-Bassoon Polyclonal Antibody at 1:400. Secondary Antibody: Alexa Fluor 488 Goat Anti-Rabbit. Counterstain: BTX (red). Localization: Selective staining of the NMJ.



#### **Western Blotting**

**Image 2.** Western blot analysis of Mouse, Rat brain cell lysates showing detection of Bassoon protein using Rabbit Anti-Bassoon Polyclonal Antibody . Primary Antibody: Rabbit Anti-Bassoon Polyclonal Antibody at 1:1000.