antibodies -online.com





anti-BIM antibody (Atto 488)

2 Images



Go to Product page

Overview

Quantity:	100 μg
Target:	BIM (BCL2L11)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BIM antibody is conjugated to Atto 488
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Immunogen:	Internal central amino acids of human Bim
Specificity:	Detects ~23 kDa.
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Protein A Purified

Target Details

Target:	BIM (BCL2L11)
Alternative Name:	BIM/BOD (BCL2L11 Products)
Background:	Members in the Bcl-2 family are critical regulators of apoptosis by either inhibiting or promoting cell death. Bim/BOD is a group of three splice variants, BimEL, BimL and BimS, with apparent
	molecular masses of \sim 23, 16, and 13 kDa, respectively. Bcl-2 homology 3 (BH3) domain is a
	potent death domain. BH3 domain containing pro-apoptotic proteins, including Bad, Bax, Bid,

Target Details

	Bik, and Hrk, form a growing subclass of the Bcl-2 family. A novel BH3 domain containing
	protein was recently identified and designated Bim or BOD in human, mouse and rat (1,2).
	Bim/BOD interacts with diverse members in the pro-survival Bcl-2 sub-family including Bcl-2,
	Bcl-xL and Bcl-w. Bim/BOD induces apoptosis. The messenger RNA of Bim is ubiquitously
	expressed in multiple tissues and cell lines (1,2).
Gene ID:	10018
NCBI Accession:	NP_619527
UniProt:	043521
Pathways:	PI3K-Akt Signaling, Neurotrophin Signaling Pathway, Tube Formation, Positive Regulation of
	Endopeptidase Activity

Application Details

- WB (1:1000)
- IHC (1:100)
- optimal dilutions for assays should be determined by the user.

Comment:


1 μ g/ml of ABIN2485928 was sufficient for detection of Bim in 20 μ g of K562 and A549 cell lysates by colorimetric immunoblot analysis using Goat anti-rabbit lgG:HRP as the secondary antibody.

Restrictions:

For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, 50 % glycerol, 0.09 % sodium azide, Storage buffer may change when conjugated
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Conjugated antibodies should be stored at 4°C



Immunohistochemistry

Image 1. Immunohistochemistry analysis using Rabbit Anti-BIM Polyclonal Antibody . Tissue: skin cancer cells. Species: Human. Primary Antibody: Rabbit Anti-BIM Polyclonal Antibody at 1:100.



Western Blotting

Image 2. Western blot analysis of Human K562 (Left) and A549 (Right) whole cell lysates showing detection of BIM protein using Rabbit Anti-BIM Polyclonal Antibody . Primary Antibody: Rabbit Anti-BIM Polyclonal Antibody at 1:1000.