
antibodies - online.com







anti-AQP3 antibody (C-Term) (Atto 594)

Images



\sim	
()\/\	rview
	VICVV

0.0	
Quantity:	100 μg
Target:	AQP3
Binding Specificity:	C-Term
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AQP3 antibody is conjugated to Atto 594
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunocytochemistry (ICC)
Product Details	
Immunogen:	Produced against the C-terminal peptide (Sequence N-CHLEQPPPSTEAENVKLAHMKHKEQI) of rat aquaporin 3
Specificity:	Detects ~31.5 kDa. May detect larger glycosylated bands ~35-50 kDa.

Target Details

Cross-Reactivity:

Purification:


Target:	AQP3
Alternative Name:	Aquaporin 3 (AQP3 Products)

Human, Mouse, Rat

Protein A Purified


Target Details

rarget Details	
Background:	Aquaporins selectively conduct water molecules in and out of the cell, while preventing the passage of ions and other solutes. Known as water channels, they are integral membrane pore proteins (1, 2). Aquaporin 3 is found in the basolateral cell membrane of principal collecting duct cells and provide a pathway for water to exit these cells (3). AQP3 gene expression is not regulated by vasopressin (4).
Gene ID:	65133
NCBI Accession:	NP_113891
UniProt:	P47862
Application Details	
Application Notes:	 WB (1:2000) IHC (1:200) ICC/IF (1:400) optimal dilutions for assays should be determined by the user.
Comment:	$0.5 \mu g/ml$ of ABIN2486353 was sufficient for detection of aquaporin 3 in 10 μg of rat kidney tissue lysate by colorimetric immunoblot analysis using Goat anti-rabbit IgG:HRP as the secondary antibody.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, 50 % glycerol, 0.09 % sodium azide, Storage buffer may change when conjugated
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Conjugated antibodies should be stored at 4°C



Immunohistochemistry

Image 1. Immunohistochemistry analysis using Rabbit Anti-Aquaporin 3 Polyclonal Antibody . Tissue: kidney tissue. Species: Rat. Primary Antibody: Rabbit Anti-Aquaporin 3 Polyclonal Antibody at 1:200. Secondary Antibody: FITC Goat Anti-Rabbit (green).



Western Blotting

Image 2. Western blot analysis of Rat kidney inner medullary homogenates showing detection of Aquaporin 3 protein using Rabbit Anti-Aquaporin 3 Polyclonal Antibody. Primary Antibody: Rabbit Anti-Aquaporin 3 Polyclonal Antibody at 1:2000.