# .-online.com antibodies

# Datasheet for ABIN2486709 anti-HSP90AB1 antibody (HRP)

5 Images



#### Overview

Quantity:	100 µL
Target:	HSP90AB1
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HSP90AB1 antibody is conjugated to HRP
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Immunofluorescence (IF), Immunocytochemistry (ICC)

## Product Details

Immunogen:	Full length protein HSP90
Specificity:	Detects ~90kda. Does not cross-react with HSP90α.
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Peptide Affinity Purified

# Target Details

Target:	HSP90AB1
Alternative Name:	HSP90 beta (HSP90AB1 Products)
Background:	HSP90 is a highly conserved and essential stress protein that is expressed in all eukaryotic cells. From a functional perspective, HSP90 participates in the folding, assembly, maturation,
	and stabilization of specific proteins as an integral component of a chaperone complex (1-4).

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN2486709 | 04/22/2024 | Copyright antibodies-online. All rights reserved. Despite its label of being a heat-shock protein, HSP90 is one of the most highly expressed proteins in unstressed cells (1-2 % of cytosolic protein). It carries out a number of housekeeping functions - including controlling the activity, turnover, and trafficking of a variety of proteins. Most of the HSP90-regulated proteins that have been discovered to date are involved in cell signaling (5-6). The number of proteins now know to interact with HSP90 is about 100. Target proteins include the kinases v-Src, Wee1, and c-Raf, transcriptional regulators such as p53 and steroid receptors, and the polymerases of the hepatitis B virus and telomerase.5. When bound to ATP, HSP90 interacts with co-chaperones Cdc37, p23, and an assortment of immunophilinlike proteins, forming a complex that stabilizes and protects target proteins from proteasomal degradation. In most cases, HSP90-interacting proteins have been shown to co-precipitate with HSP90 when carrying out immunoadsorption studies, and to exist in cytosolic heterocomplexes with it. In a number of cases, variations in HSP90 expression or HSP90 mutation has been shown to degrade signaling function via the protein or to impair a specific function of the protein (such as steroid binding, kinase activity) in vivo. Ansamycin antibiotics, such as geldanamycin and radicicol, inhibit HSP90 function (7). Looking for more information on HSP90? Visit our new HSP90 Scientific Resource Guide at http://www.HSP90.ca.

Gene ID:	3326
NCBI Accession:	NP_031381
UniProt:	P08238
Pathways:	Regulation of Cell Size

## Application Details


Application Notes:	<ul> <li>WB (1:1000)</li> <li>IHC (1:100)</li> <li>ICC/IF (1:120)</li> <li>optimal dilutions for assays should be determined by the user.</li> </ul>
Comment:	A 1:1000 dilution of ABIN2486709 was sufficient for detection of HSP90 in 20 μg of HeLa cell lysate by ECL immunoblot analysis.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN2486709 | 04/22/2024 | Copyright antibodies-online. All rights reserved.

#### Handling

Buffer:	PBS pH 7.4, 50 % glycerol, 0.09 % sodium azide, Storage buffer may change when conjugated
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Conjugated antibodies should be stored at 4°C

#### Images





#### **Western Blotting**

**Image 1.** Western blot analysis of Human Cell line lysates showing detection of HSP90 beta protein using Rabbit Anti-HSP90 beta Polyclonal Antibody . Load: 15 µg protein. Block: 1.5% BSA for 30 minutes at RT. Primary Antibody: Rabbit Anti-HSP90 beta Polyclonal Antibody at 1:2000 for 2 hours at RT. Secondary Antibody: Donkey Anti-Rabbit IgG: HRP for 1 hour at RT.

#### Immunofluorescence (fixed cells)

**Image 2.** Immunocytochemistry/Immunofluorescence analysis using Rabbit Anti-Hsp90 beta Polyclonal Antibody . Tissue: HeLa Cells. Species: Human. Fixation: 2% Formaldehyde for 20 min at RT. Primary Antibody: Rabbit Anti-Hsp90 beta Polyclonal Antibody at 1:120 for 12 hours at 4°C. Secondary Antibody: APC Goat Anti-Rabbit (red) at 1:200 for 2 hours at RT. Counterstain: DAPI (blue) nuclear stain at 1:40000 for 2 hours at RT. Localization: Cytoplasm. Melanosome. Magnification: 100x. (A) DAPI (blue) nuclear stain. (B) Anti-Hsp90 beta Antibody. (C) Composite.





#### **Western Blotting**

**Image 3.** Western blot analysis of Human Cell line lysates showing detection of HSP90 beta protein using Rabbit Anti-HSP90 beta Polyclonal Antibody . Load: 15 µg protein. Block: 1.5% BSA for 30 minutes at RT. Primary Antibody: Rabbit Anti-HSP90 beta Polyclonal Antibody at 1:1000 for 2 hours at RT. Secondary Antibody: Donkey Anti-Rabbit IgG: HRP for 1 hour at RT. Left: 2 ug of Hsp90 Alpha, Right: 2 ug Hsp90 Beta.

Please check the product details page for more images. Overall 5 images are available for ABIN2486709.