

Datasheet for ABIN2535835

KIF20A ELISA Kit



Overview

Quantity:	96 tests
Target:	KIF20A
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	0.156 ng/mL - 10 ng/mL
Minimum Detection Limit:	0.156 ng/mL
Application:	ELISA
Product Details	
Purpose:	Human KIF20A ELISA Kit is a sandwich ELISA kit for use with Tissue homogenates and other
	biological fluids. This assay has high sensitivity and excellent specificity for detection of Kinesin
	Family, Member 20A (KIF20A)
	No significant cross-reactivity or interference between Kinesin Family, Member 20A (KIF20A)
	and analogues was observed.
Sample Type:	Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of Kinesin Family, Member
	20A (KIF20A)
Sensitivity:	< 0.049 ng/mL

Target Details

Alternative Name: Kinesin Family, Member 20A (KIF20A) (KIF20A Products) Application Details Application Notes: Stability: The stability of the kit is determined by the rate of activity to than 5 % within the expiration date under appropriate storage conditions performance fluctuations, operation procedures and lab conditions It is also strongly suggested that the whole assay is performed by the Recommended dilutions: Optimal dilutions/concentrations should be user. Standard Form: Lyophilized	
Application Notes: Stability: The stability of the kit is determined by the rate of activity to than 5 % within the expiration date under appropriate storage condit performance fluctuations, operation procedures and lab conditions. It is also strongly suggested that the whole assay is performed by the Recommended dilutions: Optimal dilutions/concentrations should be user.	
than 5 % within the expiration date under appropriate storage condit performance fluctuations, operation procedures and lab conditions. It is also strongly suggested that the whole assay is performed by the Recommended dilutions: Optimal dilutions/concentrations should buser.	
performance fluctuations, operation procedures and lab conditions It is also strongly suggested that the whole assay is performed by the Recommended dilutions: Optimal dilutions/concentrations should be user.	oss. The loss rate is less
It is also strongly suggested that the whole assay is performed by the Recommended dilutions: Optimal dilutions/concentrations should buser.	ions. To minimize
Recommended dilutions: Optimal dilutions/concentrations should b user.	should be strictly controlled.
user.	ne same user throughout.
	e determined by the end
Standard Form: Lvophilized	
y-p	
Comment: The stability of the kit is determined by the rate of activity loss. The	oss rate is less than 5%
within the expiration date under appropriate storage conditions mi	nimize performance
fluctuations, operation procedures and lab conditions should be stri	ctly controlled. It is also
strongly suggested that the whole assay is performed by the same	user throughout.
Plate: Pre-coated	
Restrictions: For Research Use only	
Handling	
Storage: 4 °C/-20 °C	
Storage Comment: Upon receipt, store the kit according to the storage instruction in the	kit's manual.
Expiry Date: 6 months	