

Datasheet for ABIN2536652 MITF ELISA Kit



Overview

| Quantity: | 96 tests |
|--------------------------|--|
| Target: | MITF |
| Reactivity: | Human |
| Method Type: | Sandwich ELISA |
| Detection Range: | 0.156 ng/mL - 10 ng/mL |
| Minimum Detection Limit: | 0.156 ng/mL |
| Application: | ELISA |
| Product Details | |
| Purpose: | Human MITF ELISA Kit is a sandwich ELISA kit for use with Tissue homogenates, cell lysates |
| | and other biological fluids. This assay has high sensitivity and excellent specificity for detection |
| | of Microphthalmia Associated Transcription Factor (MITF) |
| | No significant cross-reactivity or interference between Microphthalmia Associated |
| | Transcription Factor (MITF) and analogues was observed. |
| Sample Type: | Cell Lysate, Tissue Homogenate |
| Analytical Method: | Quantitative |
| Detection Method: | Colorimetric |
| Specificity: | This assay has high sensitivity and excellent specificity for detection of Microphthalmia |
| | Associated Transcription Factor (MITF) |
| Sensitivity: | < 0.059 ng/mL |

Target Details

| Target: | MITF |
|---------------------|--|
| Alternative Name: | Microphthalmia Associated Transcription Factor (MITF) (MITF Products) |
| Pathways: | Chromatin Binding |
| Application Details | |
| Application Notes: | Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized |
| Comment: | The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. |
| Plate: | Pre-coated |
| Restrictions: | For Research Use only |
| Handling | |
| Storage: | 4 °C/-20 °C |
| Storage Comment: | Upon receipt, store the kit according to the storage instruction in the kit's manual. |
| Expiry Date: | 6 months |