

Datasheet for ABIN2536667

MAST2 ELISA Kit



Overview	
Quantity:	96 tests
Target:	MAST2
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	0.156 ng/mL - 10 ng/mL
Minimum Detection Limit:	0.156 ng/mL
Application:	ELISA
Product Details	
Purpose:	Human MAST2 ELISA Kit is a sandwich ELISA kit for use with Serum, plasma and other
	biological fluids. This assay has high sensitivity and excellent specificity for detection of
	Microtubule Associated Serine/Threonine Kinase 2 (MAST2)
	No significant cross-reactivity or interference between Microtubule Associated

No significant cross-reactivity or interference between Microtubule Associated

Serine/Threonine Kinase 2 (MAST2) and analogues was observed.

Sample Type: Plasma, Serum

Analytical Method: Quantitative

Detection Method: Colorimetric

Specificity: This assay has high sensitivity and excellent specificity for detection of Microtubule Associated

Serine/Threonine Kinase 2 (MAST2)

Sensitivity: < 0.053 ng/mL

Target Details

Target:	MAST2
Abstract:	MAST2 Products
Application Details	
Application Notes:	Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized
Comment:	The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.
Plate:	Pre-coated
Restrictions:	For Research Use only
Handling	
Storage:	4 °C/-20 °C
Storage Comment:	Upon receipt, store the kit according to the storage instruction in the kit's manual.
Expiry Date:	6 months